



## Product Data

# CASTROL SPHEEROL EPL

## Lithium Base Extreme Pressure Grease

### DESCRIPTION

Castrol Spheerol EPL greases is a multi-purpose, Lithium base extreme pressure greases start with specially selected mineral oils of outstanding oxidation and corrosion properties and are manufactured to close control of drop points, penetration numbers, alkalinity and ash content to offer high stability, long life, excellent resistance to changes in consistency and good water-proof quality. They are characterised by their smooth texture, low starting torque, high melting point to work successfully at temperatures as high as 120°C, and good pumpability even at -30°C. Their great affinity for metal surfaces gives added protection, lubrication and resistance at centrifugal force at high speeds.

### APPLICATIONS

Spheerol EPL2, EPL1, EPL0 - high quality EP greases containing additives of lead, soap and sulphurised fatty compounds. This imparts extreme pressure characteristics giving extra protection against wear under heavy and shock loading conditions.

### TYPICAL DATA

Grade	EPL2	EPL1	EPL0
Base	Lithium	Lithium	Lithium
NLGI No.	2	1	0
Work Penetration	262	330	370
Drop Point, °C	175	175	175
Min. Oil Visc. @ 40°C, cST	150	150	150
Operating Temp, °C	-20/120	-20/120	-20/120
Colour	Mid brown	Mid brown	Mid brown

All reasonable care has been taken to ensure that the information contained in this publication is accurate as of the date of printing. However, such information may, nevertheless, be affected by changes in the blend formulation occurring subsequent to the date of printing. Material Safety Data Sheets are available for all Castrol Industrial North America Inc. products. The MSDS must be consulted for appropriate information regarding storage, safe handling and disposal of a product.

**BP Singapore Pte Limited**  
1 HarbourFront Avenue  
#02-01  
Keppel Bay Tower  
Singapore 098632  
Tel.: +65 6371 8888  
Fax: +65 6371 8801